




EMTCT FACT SHEET :APRIL 2019-MARCH 2020

S.No	Topic	Page no.
1	<i>Important HIV Indicators</i>	2
2	<i>F-JCTC Reporting Status</i>	3
3	<i>Status of Districts on HIV & Syphilis testing</i>	4
4	<i>EMTCT Services-HIV</i>	5
5	<i>EMTCT Services-Early Infant Diagnosis</i>	6
6	<i>EMTCT Services-Syphilis</i>	7
7	<i>HMJS & SJMS Data Comparison</i>	8
8	<i>PALS Data Entry Status</i>	9

updates as on 21 April 2020

IMPORTANT HIV INDICATORS: MADHYA PRADESH


Positive ANC Identified Districts



Vital Indicators 2017 (Source: India HIV Estimates 2017, NACO)

S.No	Indicators	India(%)	Madhya Pradesh(%)
1	Adult HIV Prevalence	0.26	0.09
a	Male	0.30	0.10
b	Female	0.22	0.07
2	HIV Prevalence among ANC	0.29	0.11
3	Syphilis Prevalence among ANC	0.14	0.98
4	HIV Prevalence among FSW	2.67	0.93
5	HIV Prevalence among MSM	4.43	7.94
6	HIV Prevalence among IDU	7.14	5.13

S.No	Indicators	India	Madhya Pradesh
1	Estimated PLHIV(Total)	2140000	51200
2	Estimated no.of New Infections (Total)	87580	2385
a	Adult(15+)	83840	NA
b	Women(15+)	33570	NA
3	Estimated no.of Annual AIDS related Deaths (Total)	69110	1853
a	Adult(15+)	66540	NA
b	Women(15+)	20480	NA
4	Estimated no.of mother need PPTCT Services	22677	723



F-ICTC REPORTING STATUS


% Units Reported in

District	No. of Functional F-ICTC's	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20
Agar Malwa	7	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	29%
Alirajpur	18	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	78%
Anuppur	26	96%	96%	96%	96%	96%	96%	96%	96%	96%	96%	96%	96%
Ashok Nagar	19	95%	95%	95%	95%	95%	100%	100%	100%	100%	100%	100%	89%
Balaghat	49	100%	100%	100%	100%	100%	100%	98%	90%	82%	88%	84%	47%
Barwani	42	100%	100%	100%	98%	100%	100%	100%	100%	100%	100%	100%	95%
Betul	48	98%	98%	98%	98%	98%	98%	98%	98%	98%	98%	98%	98%
Bhind	19	89%	89%	89%	89%	89%	89%	89%	89%	84%	32%	37%	26%
Bhopal	36	97%	97%	97%	94%	94%	92%	89%	89%	92%	83%	78%	39%
Burhanpur	20	95%	95%	95%	95%	95%	95%	95%	95%	95%	90%	95%	75%
Chhatarpur	52	96%	94%	96%	96%	90%	83%	81%	79%	75%	77%	77%	37%
Chhindwara	66	98%	98%	95%	97%	97%	97%	97%	97%	95%	97%	95%	95%
Damoh	23	100%	100%	100%	100%	100%	100%	96%	100%	100%	100%	100%	91%
Datia	16	50%	50%	50%	44%	44%	38%	38%	38%	31%	38%	31%	6%
Dewas	31	97%	97%	97%	97%	97%	97%	97%	94%	90%	97%	71%	55%
Dhar	46	80%	80%	80%	87%	87%	85%	87%	89%	85%	78%	83%	72%
Dindori	28	89%	89%	93%	96%	96%	96%	93%	93%	93%	93%	93%	86%
Guna	25	96%	96%	96%	96%	96%	96%	96%	96%	96%	96%	96%	84%
Gwalior	20	95%	95%	95%	95%	85%	55%	35%	35%	30%	35%	30%	15%
Harda	7	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	86%	71%
Hoshangabad	17	100%	100%	100%	100%	100%	100%	100%	94%	76%	100%	94%	24%
Indore	58	95%	95%	95%	95%	95%	95%	95%	95%	95%	95%	95%	47%
Jabalpur	37	100%	100%	100%	100%	100%	100%	100%	97%	100%	100%	100%	89%
Jhabua	20	90%	90%	90%	90%	90%	90%	90%	90%	90%	95%	95%	70%
Katni	25	100%	100%	100%	100%	100%	100%	100%	96%	96%	100%	100%	96%
Khandwa	43	100%	100%	95%	95%	86%	86%	91%	88%	93%	91%	79%	21%
Khargone	49	96%	96%	96%	96%	94%	96%	96%	96%	96%	96%	96%	78%
Mandla	32	91%	91%	91%	91%	91%	91%	91%	91%	91%	88%	88%	59%
Mandsaur	33	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	76%
Morena	16	94%	94%	94%	94%	94%	94%	94%	94%	63%	63%	56%	31%
Narsinghpur	21	100%	100%	100%	100%	100%	86%	81%	81%	81%	81%	67%	14%
Neemuch	19	89%	89%	89%	89%	89%	95%	100%	95%	89%	89%	84%	79%
Panna	26	100%	100%	100%	100%	100%	96%	96%	96%	96%	100%	96%	4%
Raisen	25	100%	100%	100%	100%	96%	100%	100%	88%	92%	92%	92%	68%
Rajgarh	22	95%	95%	95%	95%	95%	95%	95%	95%	95%	95%	95%	41%
Ratlam	29	97%	100%	100%	100%	100%	100%	100%	100%	100%	100%	97%	97%
Rewa	40	100%	100%	100%	100%	100%	100%	100%	100%	100%	95%	90%	73%
Sagar	32	91%	94%	94%	94%	94%	94%	94%	94%	94%	94%	91%	63%
Satna	28	96%	96%	96%	93%	96%	96%	96%	89%	93%	89%	89%	50%
Sehore	22	95%	95%	100%	95%	86%	95%	91%	95%	95%	77%	77%	64%
Seoni	38	97%	97%	97%	97%	97%	97%	97%	97%	97%	89%	71%	68%
Shahdol	36	86%	86%	86%	86%	86%	89%	94%	94%	94%	94%	94%	94%
Shajapur	16	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	75%	69%
Sheopur	14	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	93%
Shivpuri	24	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	92%	83%
Sidhi	25	96%	92%	92%	96%	96%	96%	96%	96%	96%	96%	96%	96%
Singoli	23	78%	78%	78%	78%	83%	83%	78%	83%	83%	100%	100%	83%
Tikamgarh	33	91%	91%	88%	88%	88%	88%	88%	88%	88%	79%	58%	30%
Ujjain	30	100%	100%	100%	100%	100%	100%	100%	97%	90%	100%	100%	50%
Umaria	18	100%	100%	100%	100%	100%	100%	100%	100%	100%	94%	100%	94%
Vidisha	23	74%	74%	78%	78%	74%	83%	83%	83%	78%	78%	87%	91%
Madhya Pradesh	1472	95%	95%	95%	95%	94%	94%	93%	92%	91%	90%	87%	66%

Proportion of F-ICTC Reporting



No. of Units Reported Month wise



Key Observations

- None of the District achieved 100% reporting through out the year.
- Overall 9% units were not reported in the state out of 1472 functional F-ICTC's.


Colour Coding

	Less then 75% Reporting
	Between 75%-90% Reporting
	Above 90% Reporting


STATUS OF DISTRICTS ON HIV & SYPHILIS TESTING

S.No	Source	HMIS	SIMS	HMIS
	District	ANC Registration	HIV screening %	Syphilis Screening %
1	Agar Malwa	12709	99%	82%
2	Alirajpur	26175	65%	8%
3	Anuppur	20168	77%	9%
4	Ashok Nagar	28226	66%	40%
5	Balaghat	33663	91%	45%
6	Barwani	53100	67%	21%
7	Betul	31033	102%	37%
8	Bhind	40506	57%	51%
9	Bhopal	65396	85%	65%
10	Burhanpur	22704	73%	23%
11	Chhatarpur	52230	78%	23%
12	Chhindwara	41888	76%	52%
13	Damoh	39377	73%	34%
14	Datia	16788	63%	76%
15	Dewas	32767	110%	43%
16	Dhar	58469	73%	48%
17	Dindori	21302	98%	55%
18	Guna	33494	77%	23%
19	Gwalior	44352	56%	24%
20	Harda	12124	115%	62%
21	Hoshangabad	23986	78%	30%
22	Indore	88362	79%	34%
23	Jabalpur	44559	133%	61%
24	Jhabua	39907	89%	66%
25	Katni	28623	108%	61%
26	Khandwa	29705	77%	64%
27	Khargone	47183	119%	53%
28	Mandla	29357	66%	35%
29	Mandsaur	25661	100%	50%
30	Morena	49080	56%	18%
31	Narsinghpur	22021	111%	79%
32	Neemuch	17512	112%	47%
33	Panna	31373	69%	61%
34	Raisen	35234	90%	58%
35	Rajgarh	37112	92%	40%
36	Ratlam	39199	87%	50%
37	Rewa	62211	65%	27%
38	Sagar	67978	64%	21%
39	Satna	61662	67%	33%
40	Sehore	33942	81%	86%
41	Seoni	30251	110%	68%
42	Shahdol	26446	133%	25%
43	Shajapur	19336	110%	64%
44	Sheopur	21430	108%	26%
45	Shivpuri	53992	96%	18%
46	Sidhi	35487	66%	32%
47	Singroli	38517	59%	25%
48	Tikamgarh	46626	75%	49%
49	Ujjain	49165	99%	42%
50	Umaria	18126	86%	18%
51	Vidisha	40474	49%	34%
Madhya Pradesh		1880988	82%	41%
		Below 50%	50%-75%	Above 75%


DISTRIBUTION OF ANC HIV TESTING



No. of ANC Undergone Screening



Facility Performing Screening



Key Observations


☞ Only District Vidisha reported very low ANC screening coverage (below 50%), due to which state average remains 82%. HIV Testing of every ANC must be ensured during ANC profiling.

☞ Only District **Agar Malwa, Datia, Narsinghpur and Sehore** reached to **more than 75% ANC Syphilis coverage** in HMIS, while only 15 District shows more than 50%-75% coverage despite on inclusion of HIV and VDRL testing compulsory in ANC profile.


EMTCT SERVICES-HIV

S.No	District	No. of New ANC found HIV Positive	No. of New PNC found HIV Positive	No. of New ANC registered at ART	No. of Already ART registered women become Pregnant
1	Agar Malwa	2	0	2	0
2	Alirajpur	3	0	2	3
3	Anuppur	8	1	10	4
4	Ashok Nagar	2	1	2	0
5	Balaghat	6	0	6	7
6	Barwani	9	3	11	7
7	Betul	5	2	8	3
8	Bhind	7	4	11	3
9	Bhopal	31	1	28	2
10	Burhanpur	5	1	6	1
11	Chhatarpur	3	0	3	0
12	Chhindwara	4	0	3	0
13	Damoh	8	2	9	7
14	Datia	1	1	2	1
15	Dewas	5	0	5	3
16	Dhar	11	0	13	2
17	Dindori	6	2	8	2
18	Guna	6	2	8	6
19	Gwalior	6	0	6	0
20	Harda	6	0	6	0
21	Hoshangabad	8	0	9	4
22	Indore	29	3	30	11
23	Jabalpur	26	3	24	13
24	Jhabua	1	1	2	1
25	Katni	8	0	6	0
26	Khandwa	4	0	3	5
27	Khargone	11	1	12	7
28	Mandla	9	0	11	0
29	Mandsaur	19	2	20	16
30	Morena	5	0	5	1
31	Narsinghpur	8	0	5	3
32	Neemuch	4	1	5	0
33	Panna	4	0	4	0
34	Raisen	9	0	4	0
35	Rajgarh	1	0	0	0
36	Ratlam	14	1	11	0
37	Rewa	8	5	12	0
38	Sagar	11	0	10	0
39	Satna	9	2	12	0
40	Sehore	7	1	8	0
41	Seoni	8	0	3	0
42	Shahdol	12	0	13	0
43	Shajapur	2	0	2	0
44	Sheopur	5	0	5	0
45	Shivpuri	3	0	3	0
46	Sidhi	2	1	3	0
47	Singroli	6	0	6	0
48	Tikamgarh	4	1	4	0
49	Ujjain	14	0	10	0
50	Umariya	0	0	0	0
51	Vidisha	4	0	4	2
Madhya Pradesh		389	42	395	114


HIV Positive ANC Detection (Trimesters wise)




AGEWISE ANC POSITIVITY



Type of HIV +ve Delivery Performed








ANC TYPEWISE: NEW AND REPEAT CASE



Key Observations

- State reported 431 New ANC (including PNC) found HIV infected out of which only 395 (92%) reached to ART for treatment, more emphasis should be given on followup services after detection, to ensure 100% ART linkages.
- Only 28% women detected in their first trimester of pregnancy, while 37% in third trimester, which makes difficult in timely initiation of treatment to mitigate transmission of virus from mother to baby, focus should be made on early registration of pregnancy along with HIV and VDRL testing.
- Majority of ANC who found HIV infected belongs to 20-24 years of age group (52%), 25-34 years (37%) while **positive pregnancy during adolescent age group 15-19 years reported to 8%** among total new positive pregnancies, which should be care with special attention.
- As per NACO guidelines, ANC should be tested only for once for HIV during her current pregnancy and repeated testing should be done only if she or her sexual partner belongs to high risk group. Data reveals that 6% ANC's are tested more than once among total ANC HIV tested.

EMTCT SERVICES-EID



Key Observations

- ☞ Co-trimoxazole prophylaxis prevent occurrence of opportunistic infections to HIV exposed babies(baby born from HIV positive mother), the coverage of the same is 100% with availability of medicine in all government hospitals.
- ☞ Only 6% mothers opted for exclusive replacement feeding to the newborn AFASS criteria followed.
- ☞ All positive detected babies linked to ART centres and taking treatment and support except 5 less than 18 month and 2 more than 18

EMTCT SERVICES-SYPHILIS

S.No	District	Pregnant Women Details					Baby Details		
		Tested for Syphilis	Out of which found Sero Positive	% Reactivity	Out of which treated	% ANC Treated	Babies diagnosed with Congenital Syphilis	Babies treated for congenital Syphilis	% Baby Treated
1	Agar Malwa	10448	0	0%	0	0%	0	0	0%
2	Alirajpur	2148	1	0%	0	0%	0	0	0%
3	Anuppur	1850	64	3%	0	0%	0	0	0%
4	Ashok Nagar	11390	19	0%	0	0%	0	0	0%
5	Balaghat	14991	91	1%	0	0%	1	1	100%
6	Barwani	11346	0	0%	0	0%	0	0	0%
7	Betul	11562	16	0%	3	19%	0	0	0%
8	Bhind	20624	12	0%	11	92%	0	0	0%
9	Bhopal	42740	179	0%	107	60%	0	0	0%
10	Burhanpur	5155	50	1%	0	0%	0	0	0%
11	Chhatarpur	12253	7	0%	6	86%	0	0	0%
12	Chhindwara	21810	3	0%	3	100%	0	0	0%
13	Damoh	13429	6	0%	4	67%	1	0	0%
14	Datia	12829	10	0%	4	40%	0	0	0%
15	Dewas	13971	80	1%	0	0%	0	0	0%
16	Dhar	28210	4	0%	0	0%	0	0	0%
17	Dindori	11809	173	1%	26	15%	13	13	100%
18	Guna	7805	1	0%	14	1400%	0	0	0%
19	Gwalior	10609	324	3%	0	0%	0	0	0%
20	Harda	7488	3	0%	3	100%	0	0	0%
21	Hoshangabad	7193	1	0%	1	100%	0	0	0%
22	Indore	29748	139	0%	20	14%	0	0	0%
23	Jabalpur	27012	126	0%	15	12%	9	9	100%
24	Jhabua	26436	24	0%	247	1029%	0	0	0%
25	Katni	17603	15	0%	251	1673%	0	46	0%
26	Khandwa	19051	38	0%	3	8%	0	0	0%
27	Khargone	25166	112	0%	11	10%	0	0	0%
28	Mandla	10370	30	0%	119	397%	24	24	100%
29	Mandsaur	12815	29	0%	1	3%	1	0	0%
30	Morena	8990	2	0%	2	100%	0	0	0%
31	Narsinghpur	17326	22	0%	1	5%	0	0	0%
32	Neemuch	8266	15	0%	6	40%	0	0	0%
33	Panna	19051	56	0%	0	0%	0	0	0%
34	Raisen	20411	37	0%	6	16%	7	4	57%
35	Rajgarh	14808	2	0%	2	100%	0	0	0%
36	Ratlam	19729	25	0%	22	88%	0	1	0%
37	Rewa	16590	1	0%	1	100%	0	273	0%
38	Sagar	14387	4	0%	0	0%	0	0	0%
39	Satna	20488	147	1%	130	88%	0	0	0%
40	Sehore	29332	12	0%	1	8%	0	0	0%
41	Seoni	20553	20	0%	8	40%	0	0	0%
42	Shahdol	6690	1	0%	0	0%	0	0	0%
43	Shajapur	12432	12	0%	8	67%	18	0	0%
44	Sheopur	5632	631	11%	0	0%	0	0	0%
45	Shivpuri	9940	37	0%	32	86%	22	0	0%
46	Sidhi	11448	10	0%	0	0%	0	0	0%
47	Singroli	9566	160	2%	160	100%	0	0	0%
48	Tikamgarh	22871	16	0%	15	94%	0	0	0%
49	Ujjain	20670	32	0%	18	56%	9	9	100%
50	Umaria	3238	42	1%	0	0%	0	0	0%
51	Vidisha	13936	11	0%	12	109%	0	0	0%
Madhya Pradesh		774215	2852	0%	1273	45%	105	380	362%
			<i>More than 1</i>			<i>More than 100</i>			

Key Observations

- ANC Syphilis reactivity is high Sheopur(11%),Anuppur(3%) and Gwalior(3%)
- 45% treatment rate of ANC syphilis** despite of low reactivity across the state.District Katni(1673%),Guna(1400%),Jhabua(1029%) projected treatment rate,which needs to be seen for data error.
- Only Congenital Syphiis reported Balaghat,Damoh,Dindori,Jabalpur,Mandla,Raisen,Shajapur,Shivpuri and Ujjain Dstrict .Only **District Rewa and Katni reported** treatment of 273 and 46 babies respectively **without any infected baby reported.**

HMIS & SIMS DATA COMPARISON

Page 8

S.No	District	ANC Registration	ANC HIV tested			ANC found Reactive/Positive	
	Source	HMIS	HMIS	SIMS	Difference	HMIS	SIMS F-ICTC
1	Agar Malwa	12709	11030	12572	1542	2	1
2	Alirajpur	26175	11738	16899	5161	3	17
3	Anuppur	20168	10822	15625	4803	72	4
4	Ashok Nagar	28226	10415	18585	8170	2	1
5	Balaghat	33663	31861	30647	-1214	43	1
6	Barwani	53100	25855	35805	9950	8	5
7	Betul	31033	24843	31717	6874	9	2
8	Bhind	40506	24024	23152	-872	16	2
9	Bhopal	65396	71773	55655	-16118	50	1
10	Burhanpur	22704	12724	16562	3838	15	2
11	Chhatarpur	52230	38051	40685	2634	5	2
12	Chhindwara	41888	24581	32010	7429	2	0
13	Damoh	39377	18811	28615	9804	7	1
14	Datia	16788	12409	10494	-1915	1	1
15	Dewas	32767	26795	35971	9176	18	1
16	Dhar	58469	36618	42537	5919	25	4
17	Dindori	21302	18656	20912	2256	18	9
18	Guna	33494	16946	25691	8745	248	1
19	Gwalior	44352	21131	24618	3487	22	0
20	Harda	12124	12284	13908	1624	4	3
21	Hoshangabad	23986	13325	18608	5283	5	5
22	Indore	88362	55833	69541	13708	336	15
23	Jabalpur	44559	46872	59088	12216	34	13
24	Jhabua	39907	35263	35466	203	7	0
25	Katni	28623	28575	30888	2313	12	1
26	Khandwa	29705	21122	22738	1616	6	1
27	Khargone	47183	40576	56207	15631	50	4
28	Mandla	29357	18323	19506	1183	19	1
29	Mandsaur	25661	25473	25684	211	73	8
30	Morena	49080	16174	27728	11554	15	2
31	Narsinghpur	22021	19468	24520	5052	8	4
32	Neemuch	17512	13977	19643	5666	7	3
33	Panna	31373	19901	21656	1755	53	0
34	Raisen	35234	37361	31860	-5501	8	4
35	Rajgarh	37112	22170	34236	12066	8	2
36	Ratlam	39199	32706	34155	1449	21	16
37	Rewa	62211	43929	40199	-3730	28	8
38	Sagar	67978	23681	43512	19831	44	180
39	Satna	61662	30952	41076	10124	20	7
40	Sehore	33942	29726	27420	-2306	22	0
41	Seoni	30251	32018	33374	1356	11	3
42	Shahdol	26446	23199	35121	11922	3	23
43	Shajapur	19336	14705	21242	6537	48	2
44	Sheopur	21430	17001	23208	6207	5	1
45	Shivpuri	53992	18116	52094	33978	149	2
46	Sidhi	35487	17503	23432	5929	3	0
47	Singroli	38517	16254	22902	6648	4	2
48	Tikamgarh	46626	33181	34743	1562	44	1
49	Ujjain	49165	32633	48567	15934	6	4
50	Umaria	18126	6385	15550	9165	83	1
51	Vidisha	40474	29029	19988	-9041	1757	3
Madhya Pradesh		1880988	1276798	1546612	-269814	3459	374

Districts are having more reporting in HMIS than SIMS

Key Observations

👉 Monthly data of HMIS and F-ICTC(SMIS) should be crosschecked and ensure correct reporting under the supervision of DCM as both the data projects wrong figures as compared to NACO ICTC SIMS.

PALS DATA ENTRY STATUS

S.No	District	Total ANC (New+Already+PNC) Registered		PLHIV-ART Linkage System				
		In SIMS	In PALS	ANC linked to ART	ANC Delivered	Delivery Output: Live Birth	ARV to Baby	EID Test: 6 Weeks
1	Agar Malwa	2	0	0	0	0	0	0
2	Alirajpur	6	1	1	1	1	1	0
3	Anuppur	13	13	10	7	6	6	3
4	AshokNagar	3	4	4	3	3	3	0
5	Balaghat	13	13	10	10	9	8	4
6	Badwani	19	10	8	7	5	5	0
7	Betul	10	9	4	6	5	4	0
8	Bhind	14	1	1	1	1	0	0
9	Bhopal	34	32	24	28	25	25	18
10	Burhanpur	7	8	7	7	5	5	3
11	Chhatarpur	3	4	3	3	2	2	1
12	Chindwada	4	4	2	2	2	2	1
13	Damoh	17	13	11	11	10	9	3
14	Datia	3	2	2	2	2	2	1
15	Dewas	8	8	6	4	3	3	2
16	Dhar	13	15	11	5	3	3	0
17	Dindori	10	12	8	7	5	4	3
18	Guna	14	15	9	11	10	10	6
19	Gwalior	6	3	3	1	1	1	1
20	Harda	6	7	7	5	4	4	1
21	Hosangabad	12	12	11	10	10	10	8
22	Indore	43	43	33	20	19	16	7
23	Jabalpur	42	40	35	28	23	23	14
24	Jhabua	3	2	2	1	1	1	0
25	Katni	8	7	6	4	3	3	2
26	Khandwa	9	7	5	7	7	7	4
27	Khargone	19	19	17	13	12	11	6
28	Mandla	9	9	9	0	0	0	0
29	Mandsaur	37	32	30	16	13	14	6
30	Morena	6	6	2	3	3	3	2
31	Narshingpur	11	8	6	1	1	1	1
32	Neemuch	5	17	11	13	13	13	6
33	Panna	4	4	4	2	2	2	2
34	Raisen	9	11	5	4	3	3	3
35	Rajgarh	1	1	0	0	0	0	0
36	Ratlam	15	15	15	2	2	1	0
37	Rewa	13	23	19	15	13	10	9
38	Sagar	11	9	8	8	8	8	1
39	Satna	11	16	11	11	10	9	1
40	Sehore	8	10	7	9	9	8	4
41	Seoni	8	13	3	8	8	8	0
42	Shadol	12	12	10	6	5	5	0
43	Shajapur	2	8	7	4	4	4	4
44	Sheopur	5	5	5	5	5	5	5
45	Shivpuri	3	11	11	11	11	11	6
46	Sidhi	3	8	8	7	6	5	3
47	Singrauli	6	10	7	7	5	5	3
48	Tikamgarh	5	5	3	4	4	2	3
49	Ujjain	14	23	18	17	16	16	9
50	Umaria	0	0	0	0	0	0	0
51	Vidisha	6	7	4	4	4	4	0
Madhya Pradesh		545	567	443	361	322	305	156

Data Not Matched

Key Observations

👉 PLHIV-ART Linkage software is an online tool for tracking of PLHIV and their babies. Status shows poor registration in PALS as compared to SIMS and also updation status.