

M.P. STATE AIDS CONTROL SOCIETY

Oilfed Building, 1, Arera Hills,
Bhopal (M. P.)

No./F-7/Estt./AIDS/09/3769

Bhopal, Date : 20.07.2009

ADVERTISEMENT FOR APPOINTMENT ON CONTRACT

Madhya Pradesh State AIDS Control Society, Bhopal invites applications for the following posts on Contractual Basis from interested and eligible candidate, for the period of one year. This period may be extended according to the performance of the candidate.

S. No.	Post Sanctioned by NACO	No. of Post	Category	Mode of Appointment	Consolidated remuneration in the range of (under revision)	Qualification & experience prescribed by NACO
1	Computer Literate Steno	01	ST	Contract	Rs. 10,000 – 15,000	Graduate with Computer literacy, skill in stenography 80/30 wpm
2	Divisional Assistant	01	ST	Contract	Rs. 10,000 – 15,000	Graduate with computer literacy.
3	Consultant (CST)	01	Unreserved	Contract	Rs. 20,000 – 30,000	MD in Medicine/ Pediatrics with 3 years experience.

1. The post applied for, should be clearly mentioned on top of the envelop.
2. If applying for more than one post, it is essential to use separate form and separate envelop for each post.
3. Application in the prescribed Performa should reach to **Project Director Madhya Pradesh State AIDS Control Society, IInd Floor, Oilfed Building, 1, Arera Hills Bhopal – 462 011** on or before **10.08.2009** latest by 05:00 PM. Applications received late will not be considered
4. Project Director Madhya Pradesh State AIDS Control Society reserves the right to reject any applications or all without assigning any reason and / or to extend the last date of application and such decisions shall be final.
7. Application Performa and detail can be seen and obtained on website www.mpsacsb.org it can also be seen on the notice board of this office.
8. **Proforma for Application:** - (1) Post applied for, (2) Name of the applicant, (3) Father's/Husband's Name, (4) Date of Birth and age as on 01.07.2009, (5) Address with Phone Number.

(6) **Qualification:**

S. No.	Name of Exam	University/ Board	Year of Passing	Total Marks	Marks obtained	Percentage

(7) **Experience:**

S. No.	Name & Address of Organization	Designation of the post held	Period		Total experience in Years & Months	Nature of work
			From	To		

(8) Any special qualification/experience regarding post applied for, (9) Name of the Department, Post Held, (10) Knowledge of computer, (11) Present pay scale, (12) Job description of the post held, (13) Signature of the applicant.

Note: One self attested photo should be fixed on application form. Self-attested photocopy of relevant documents and certificate are to be enclosed with the application without which application will not be considered.

PROJECT DIRECTOR

एड्स का ज्ञान बचाये जान

M.P. STATE AIDS CONTROL SOCIETY
Oilfed Building, 1, Arera Hills, Bhopal (M.P)

PHOTO

POST APPLIED FOR : _____

- 1 Name of the applicant :
- 2 Father's/Husband's Name :
- 3 Date of Birth and age as :
on 01.07.2009
- 4 Address with Phone :
Number

Caste :

5 Qualification:

S. No.	Name of Exam	University / Board	Year of Passing	Total Marks	Marks obtained	Percentage
1						
2						
3						
4						
5						
6						

6. Experience:

S. No.	Name & Address of Organization	Designation of the post held	Period		Total experience in Year & Months	Nature of work
			From	To		
1						
2						
3						
4						
5						
6						

7 Any special qualification :
/experience regarding
post applied for

8 Name of the Department, :
Post held

9 Knowledge of computer :

10 Present pay scale :

11 Job description of the :
post held

Signature of the applicant

DECLARATION

All the information given above is true to the best of my knowledge and I will be responsible for any wrong /misleading information given in the application form.

Signature of the Candidate : _____

Name of the Candidate : _____

12. List of Certificate & enclosures attached along with application

S. No.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Date:

Note: - One self attested photo should be affixed on application form. Self attested photo copy of relevant documents and certificates are to be enclosed with application